Application No. 10/763,928 Amendment dated August 13, 2007 Reply to the Office action of May 11, 2007

## The Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

Claim 1 (Cancelled).

Claim 2 (Previously Presented): A beverage preparation machine for preparing a beverage from a cartridge containing one or more beverage ingredients comprising a first piercing element for forming an inlet, in use, in a cartridge received in the beverage preparation machine and a second piercing element for forming an outlet, in use, in said cartridge, characterised in that the first and second piercing elements are formed as a single removable unit;

further comprising a fixed lower part and an upper part rotatable relative to the lower part, the upper part being moveable from an open position, in which the upper part is disengaged from the lower part for receiving a cartridge, and a closed position, in which the upper part is engaged with the lower part, wherein the removable unit is mounted, in use, in the fixed lower part.

Claim 3 (Original): A beverage preparation machine as claimed in claim 2 wherein the inlet piercer and outlet piercer are oriented vertically and parallel to one another.

Claim 4 (Original): A beverage preparation machine as claimed in claim 3 wherein the inlet piercer and outlet piercer are made of plastics materials.

Claim 5 (Previously Presented): A beverage preparation machine for preparing a beverage from a cartridge containing one or more beverage ingredients comprising a first piercing element for forming an inlet, in use, in a cartridge received in the beverage preparation machine and a second piercing element for forming an

2

Application No. 10/763,928
Amendment dated August 13, 2007
Replicate the Office action of May 11, 20

Reply to the Office action of May 11, 2007

outlet, in use, in said cartridge, characterised in that the first and second piercing

elements are formed as a single removable unit;

further comprising a fixed lower part and an upper part rotatable relative to the lower part, the upper part being moveable from an open position, in which the upper part is disengaged from the lower part for receiving a cartridge, and a closed position, in which the upper part is engaged with the lower part, wherein the removable unit is mounted, in use, in the fixed lower part;

wherein the removable unit is mounted, in use, in a recess formed in the fixed lower part.

Claim 6 (Previously Presented): A beverage preparation machine as claimed in claim 5 wherein the second piercing element is surrounded by a ledge which is raised relative to its surroundings.

Claim 7 (Previously Presented): A beverage preparation machine as claimed in claim 2 wherein the second piercing element is larger in diameter than the first piercing element.

Claim 8 (Cancelled).

Claim 9 (Previously Presented): A beverage preparation machine as claimed in claim 2 wherein the removable unit only has a single first piercing element and a single second piercing element.

Claim 10 (Currently Amended): A beverage preparation machine as claimed in claim 1 for preparing a beverage from a cartridge containing one or more beverage ingredients comprising a first piercing element for forming an inlet, in use, in a cartridge received in the beverage preparation machine and a second piercing element for forming an outlet, in use, in said cartridge, characterised in that the first and second piercing elements are formed as a single removable unit stationary in use during forming the inlet and the outlet;

3

further comprising a fixed lower part and an upper part rotatable relative to the lower part, the upper part being moveable from an open position, in which the upper part is disengaged from the lower part for receiving a cartridge, and a closed

position, in which the upper part is engaged with the lower part, wherein the

removable unit is mounted, in use, in the fixed lower part.

Claim 11 (Previously Presented): A beverage preparation machine as claimed

in claim 10 wherein the inlet piercer and outlet piercer are orientated vertically and

parallel to one another.

Claim 12 (Previously Presented): A beverage preparation machine as claimed

in claim 11 wherein the inlet piercer and outlet piercer are made of plastics materials.

Claim 13 (Previously Presented): A beverage preparation machine for

preparing a beverage from a cartridge containing one or more beverage ingredients

comprising a first piercing element for forming an inlet, in use, in a cartridge received

in the beverage preparation machine and a second piercing element for forming an

outlet, in use, in said cartridge, characterised in that the first and second piercing

elements are formed as a single removable unit;

wherein the removable united is mounted, in use, in a recess formed in a fixed

lower part.

Claim 14 (Previously Presented): A beverage preparation machine as claimed

in claim 13 wherein the second piercing element is surrounded by a ledge which is

raised relative to its surroundings.

Claim 15 (Currently Amended): A beverage preparation machine as claimed

in claim 4.2 wherein the second piercing element is larger in diameter than the first

piercing element.

4

Application No. 10/763,928 Amendment dated August 13, 2007 Reply to the Office action of May 11, 2007

Claim 16 (Currently Amended): A beverage preparation machine as claimed in claim 4 2 wherein the removable unit only has a single first piercing element and a single second piercing element.

Claim 17 (Currently Amended): A beverage preparation machine as claimed in claim 4 2 wherein a cartridge mount is rotatably mounted between a fixed lower part and an upper part rotatable relative to the lower part.

Claim 18 (Currently Amended): A beverage preparation machine <u>as claimed</u> in claim 17 wherein for preparing a beverage from a cartridge containing one or more beverage ingredients comprising a first piercing element for forming an inlet, in use, in a cartridge received in the beverage preparation machine and a second piercing element for forming an outlet, in use, in said cartridge, characterised in that the first and second piercing elements are formed as a single removable unit and a cartridge mount is rotatably mounted between a fixed lower part and an upper part rotatable relative to the lower part, the upper part and the cartridge mount <u>are</u> rotatable about a common hinge axis.